Update on L00 parametric CDM

The Helsinki Group

N. Van Remortel, M. Kalliokoski, P. Mehtälä

Status

- Qualitative agreements obtained for SVX and L00 between data and PCDM
- New features in L00 implemented:
 - reversed readout
 - magnetic field
 - sensor type
- One remaining discrepancy in L00 unbiased corrected residuals

Models

- Simulate the chare deposition and drift in L00, SVX and ISL
- GEOMETRIC model: is basic geometric description of the silicon system
- PARAMETRIZED model:
 - includes delta rays, charge diffusion in magnetic field, noise, capacitive coupling
 - Can be TUNED to describe real data

Data sample and cuts

- SiHitAnalyzer code in release 6.1.0
- Compare 'fake track' simulation with $J/\Psi \rightarrow \mu \mu$ data (xpmm0d)
- Track selections adapted from Sebastian:
- COT: > 10 axial and stereo hits, > 20 total hits
- $|\eta| < 1$
- 0.5<p_T<1.5GeV
- $|D_{\text{new}}| = |d_0 y_{\text{Beam}} \cos(\phi_0) + x_{\text{Beam}} \sin(\phi_0)| < 0.1 \text{cm}$
- $|z_0|$ <60. cm
- Fiducial: $|\phi_{loc}| < 0.25 \text{ rad}$, $|z_{loc}| < 6.0 \text{ cm}$
- Track passes no overlap region

MC Data

Changed wrt last time

Current tuning parameters

Phi-Side									
	L00	L1	L2	L3	L4	L5			
Cross- talk	0.2	0.46	0.47	0.48	0.42	0.46			
		0.46	0.47	0.49	0.39	0.47			
	0.1	0.43	0.47	0.49	0.41	0.46			
Gain	2.1	2.1	2.1	1.9	2.1	1.9			
		2.1	2.2	1.8	2.1	1.9			
	2.17	2.1	2.1	1.9	2.1	1.9			
Offset	-13	-13	-12	-12	-13	-11			
		-10	-12	-11	-14	-11			
	-13	-13	-13	-12	-13	-12			


Current tuning parameters

Z-Side									
	L00	L1	L2	L3	L4	L5			
Cross- talk		0.16	0.17	0.51	0.22	0.50			
		0.09	0.10	0.56	0.22	0.55			
		0.20	0.19	0.51	0.24	0.50			
Gain		1.7	1.7	2.2	1.7	2.2			
		1.8	1.8	2.2	1.7	2.2			
		1.7	1.7	2.2	1.7	2.2			
Offset		-14	-14	-14	-14	-14			
		-14	-14	-13	-14	-15			
		-16	-16	-15	-16	-15			


Results

- Tuning of 3 parameters(gain, offset and cross-talk) is generally done on 3-4 distributions: Strip multiplicity, charge distribution, hit residual, average noise
- Are on the web: home.fnal.gov/~remortel
- Will be updated regularly
- Will be quantified (χ^2)


Phi-side Residuals




Phi-side Residuals



Z-side Residuals




Z-side Residuals



Layer 00

- Parametrized CDM was not implemented for L00
- Should be ported from SVX
- Looking into the code, parametrized CDM for L00 can be switched on and gives good description of the data!
- New features now implemented: sensor type, reverse readout, magnetic field, strip pitch
- Comparison with data looks good, only the hit resolution is a factor 2 off! (see earlier transparencies)

Layer 00 continued



Conclusion

- We're getting close to a full tuning of SVX and L00
- Resolutions need to be understood and discrepancy in L00 solved
- Check our webpage (<u>home.fnal.gov/~remortel</u>) and comment!

Plans

- Make tuning quantitative! Minimum χ^2 .
- Continue to investigate L00 Parametric CDM
- Resolutions as function of strip multiplicity, phi, pt, etc ...
- Look at other data (different momentum spectra)